



MANDELL ENVIRONMENTAL CONSULTING

409 MINNISINK ROAD • SUITE 102 • TOTOWA, NJ 07512 • (973) 785-7574 • FAX (973) 785-0561

Limited Water Sampling Report

Project Name: The Leaguers Head Start

Project Location: 10-12 Marshall Street, Irvington, NJ

Date of Sampling: December 9, 2023 & January 5, 2024

Limited water sampling was performed by Mandell Environmental Consulting at The Leaguers Head Start, 10-12 Marshall Street, Irvington, NJ. Water samples were collected from the kitchen sink and water cooler used by the child care center. Samples were also collected from 50% of the other indoor water faucets utilized by the child care. The samples were collected prior to water being used in the building for a minimum of 8 hours and not longer than 48 hours. The samples were collected in 250 milliliter (ml) containers accordance with New Jersey Regulations.

The samples collected were submitted for analysis to Pace Analytical, 575 Broad Hollow Road, Melville, NY 11747, certification # NY158. Samples were analyzed by Graphite Furnace AA, EPA 200.9. The following table contains the results of the sampling. The maximum contaminant level (MCL) for lead in drinking water is 15 ug/L and copper 1,300 ug/L. (Laboratory Results and sampling forms Attached).

Sample Date 12/09/2023

Sample Number	Source	Results Lead	Results Copper	Units	Pos/Neg
M-1	Outlet 2	<1.0	306	ug/L	Neg.
M-2	Outlet 5	<1.0	232	ug/L	Neg.
M-3	Outlet 3	16.1	845	ug/L	Pos.
M-4	Kitchen Sink 1	1.7	155	ug/L	Neg.
M-5	Kitchen Sink 2	1.4	265	ug/L	Neg.
M-6	Water Cooler	<1.0	<2.0	ug/L	Neg.
M-7	Outlet 7	1.2	119	ug/L	Neg.

Sample Date 01/05/2024

Sample Number	Source	Results Lead	Results Copper	Units	Pos/Neg
10-1	Outlet 3 Flush	<1.0	41.3	ug/L	Neg.

The laboratory results show that one of the samples was found to exceed the lead in drinking water action level of 15 ug/L and copper 1,300 ug/L. The sample was collected from outlet #3. This outlet is for hand washing by kitchen staff only. Follow up flush sampling was performed and the result did not exceed the thresholds. Sampling forms and diagram are attached.

Sampling Performed by: Stuart Casciano
NJ Lead Inspector/Risk Assessor
Mandell Environmental Consulting
409 Minnisink Road, Suite 102
Totowa, NJ 07512

Signed:  Date: 1-16-2024



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

January 10, 2024

Stuart Casciano
Mandell Environmental Consulting
409 Minnisink Road
Suite 102
Totowa, NJ 07512

RE: Project: THE LEAGUERS 1/5
Pace Project No.: 70283382

Dear Stuart Casciano:

Enclosed are the analytical results for sample(s) received by the laboratory on January 06, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kimberley M. Mack
kimberley.mack@pacelabs.com
516-370-6052
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

CERTIFICATIONS

Project: THE LEAGUERS 1/5
Pace Project No.: 70283382

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: THE LEAGUERS 1/5

Pace Project No.: 70283382

Sample: 10-1 OUTLET #3		Lab ID: 70283382001	Collected: 01/05/24 12:50	Received: 01/06/24 08:30	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	41.3	ug/L	2.0	1		01/10/24 13:30	7440-50-8	
Lead	<1.0	ug/L	1.0	1		01/10/24 13:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 01/10/2024 04:24 PM

Page 3 of 8



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: THE LEAGUERS 1/5
Pace Project No.: 70283382

QC Batch: 333375 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70283382001

METHOD BLANK: 1709692

Matrix: Water

Associated Lab Samples: 70283382001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Copper	ug/L	<2.0	2.0	01/10/24 13:13	
Lead	ug/L	<1.0	1.0	01/10/24 13:13	

LABORATORY CONTROL SAMPLE: 1709693

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	50	50.5	101	85-115	
Lead	ug/L	50	49.5	99	85-115	

MATRIX SPIKE SAMPLE: 1709696

Parameter	Units	70283261004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	253	50	280	54	70-130	M1
Lead	ug/L	4.0	50	52.5	97	70-130	

MATRIX SPIKE SAMPLE: 1709698

Parameter	Units	70283261005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	22.7	50	66.3	87	70-130	
Lead	ug/L	<1.0	50	49.2	97	70-130	

SAMPLE DUPLICATE: 1709695

Parameter	Units	70283261004 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	253	251	0	
Lead	ug/L	4.0	3.9	1	

SAMPLE DUPLICATE: 1709697

Parameter	Units	70283261005 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	22.7	22.6	0	
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 01/10/2024 04:24 PM

Page 4 of 8



QUALIFIERS

Project: THE LEAGUERS 1/5
Pace Project No.: 70283382

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: THE LEAGUERS 1/5

Pace Project No.: 70283382

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70283382001	10-1 OUTLET #3	EPA 200.8	333375		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Page 7 of 8

WO#: 70283382

Client Name: MEC Project:

PM: KMM Due Date: 01/15/24

CLIENT: MEC

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pac ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziplo ☐ None ☐ Other Type of Ice: Wet Blue None

Thermometer Used: TH211 Correction Factor: +0.1 ☐ Samples on ice, cooling process has begun
Cooler Temperature (°C): -2 Cooler Temperature Corrected (°C): -0.9 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 50°C

USDA Regulated Soil (☒ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX,
or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: AD 1/6/24

	COMMENTS:
Chain of Custody Present: ☒ Yes ☐ No	1.
Chain of Custody Filled Out: ☒ Yes ☐ No	2.
Chain of Custody Relinquished: ☒ Yes ☐ No	3.
Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time: ☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr): ☒ Yes ☐ No	6.
Rush Turn Around Time Requested ☒ Yes ☐ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) ☒ Yes ☐ No	8.
Correct Containers Used: ☒ Yes ☐ No	9.
Pace Containers Used: ☒ Yes ☐ No	10.
Containers Intact: ☒ Yes ☐ No	11.
Filtered volume received for Dissolved tests ☒ Yes ☐ No ☐ N/A	Note: If sediment is visible in the dissolved container.
Sample Labels match COC: ☒ Yes ☐ No	12.
-Includes date/time/ID/Analysis Matrix: <u>SL</u> <u>WT</u> <u>OIL</u> <u>OTHER</u>	

Date and Initials of person checking preservation: AD 1/6/24

All containers needing preservation have been ☒ Yes ☐ No ☐ N/A	13. ☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot # <u>213673V</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, ☒ Yes ☐ No ☐ N/A)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	
Per Method, VOA pH is checked after analysis	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Samples checked for dechlorination: ☐ Yes ☐ No ☒ N/A	14.
KI starch test strips Lot #	Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15.
SM 4500 CN samples checked for sul ☒ Yes ☐ No ☐ N/A	Positive for Sulfide? Y N
Lead Acetate Strips Lot #	16.
Headspace in VOA Vials (>6mm): ☐ Yes ☐ No ☒ N/A	17.
Trip Blank Present: ☐ Yes ☐ No ☒ N/A	
Trip Blank Custody Seals Present ☐ Yes ☐ No ☒ N/A	

DATE AND INITIALS OF PERSON COMPLETING SECOND REVIEW: AS 1/6/24

Client Notification/ Resolution:

Person Contacted:

Comments/ Resolution:

Field Data Required? Y / N

Date/Time:

* PM (Project Manager) review is documented electronically in LIMS.



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

December 29, 2023

Stuart Casciano
Mandell Environmental Consulting
409 Minnisink Road
Suite 102
Totowa, NJ 07512

RE: Project: THE LEAGUERS HEAD START 12/9
Pace Project No.: 70282351

Dear Stuart Casciano:

Enclosed are the analytical results for sample(s) received by the laboratory on December 27, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:
• Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kimberley M. Mack
kimberley.mack@pacelabs.com
516-370-6052
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

CERTIFICATIONS

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Sample: M-1 OUTLET 2		Lab ID: 70282351001		Collected: 12/09/23 10:10		Received: 12/27/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Copper	306	ug/L	2.0	1		12/28/23 12:36	7440-50-8		
Lead	<1.0	ug/L	1.0	1		12/28/23 12:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 3 of 15



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Sample: M-2 OUTLET 5		Lab ID: 70282351002	Collected: 12/09/23 10:12		Received: 12/27/23 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	232	ug/L	2.0	1		12/28/23 12:38	7440-50-8	
Lead	<1.0	ug/L	1.0	1		12/28/23 12:38	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 4 of 15



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Sample: M-3 OUTLET 3		Lab ID: 70282351003		Collected: 12/09/23 10:13		Received: 12/27/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Copper	845	ug/L	2.0	1		12/28/23 12:42	7440-50-8		
Lead	16.1	ug/L	1.0	1		12/28/23 12:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 5 of 15



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Sample: M-4 KITCHEN SINK 1		Lab ID: 70282351004	Collected: 12/09/23 10:15	Received: 12/27/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	155	ug/L	2.0	1		12/28/23 12:44	7440-50-8	
Lead	1.7	ug/L	1.0	1		12/28/23 12:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 6 of 15



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Sample: M-5 KITCHEN SINK 2		Lab ID: 70282351005		Collected: 12/09/23 10:16		Received: 12/27/23 08:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Copper	265	ug/L	2.0	1		12/28/23 12:46	7440-50-8		
Lead	1.4	ug/L	1.0	1		12/28/23 12:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 7 of 15



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Sample: M-6 WATER COOLER		Lab ID: 70282351006	Collected: 12/09/23 10:18	Received: 12/27/23 08:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Copper	<2.0	ug/L	2.0	1		12/28/23 12:47	7440-50-8	
Lead	<1.0	ug/L	1.0	1		12/28/23 12:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 8 of 15



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

ANALYTICAL RESULTS

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Sample: M-7 OUTLET 7		Lab ID: 70282351007		Collected: 12/09/23 10:20		Received: 12/27/23 08:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Copper	119	ug/L	2.0	1		12/28/23 10:33	7440-50-8		M1
Lead	1.2	ug/L	1.0	1		12/28/23 10:33	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 9 of 15



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

QC Batch: 332286 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Melville
Associated Lab Samples: 70282351001, 70282351002, 70282351003, 70282351004, 70282351005, 70282351006

METHOD BLANK: 1703338

Matrix: Water

Associated Lab Samples: 70282351001, 70282351002, 70282351003, 70282351004, 70282351005, 70282351006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Copper	ug/L	<2.0	2.0	12/28/23 11:58	
Lead	ug/L	<1.0	1.0	12/28/23 11:58	

LABORATORY CONTROL SAMPLE: 1703339

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	50	51.2	102	85-115	
Lead	ug/L	50	53.3	107	85-115	

MATRIX SPIKE SAMPLE: 1703341

Parameter	Units	70282328003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	223	50	259	72	70-130	
Lead	ug/L	<1.0	50	49.9	100	70-130	

MATRIX SPIKE SAMPLE: 1703343

Parameter	Units	70282328004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	165	50	206	81	70-130	
Lead	ug/L	<1.0	50	53.9	107	70-130	

SAMPLE DUPLICATE: 1703340

Parameter	Units	70282328003 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	223	225	1	
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1703342

Parameter	Units	70282328004 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	165	166	0	
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 10 of 15



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

QC Batch: 332287

QC Batch Method: EPA 200.8

Analysis Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70282351007

METHOD BLANK: 1703344

Matrix: Water

Associated Lab Samples: 70282351007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Copper	ug/L	<2.0	2.0	12/28/23 10:30	
Lead	ug/L	<1.0	1.0	12/28/23 10:30	

LABORATORY CONTROL SAMPLE: 1703345

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	50	51.4	103	85-115	
Lead	ug/L	50	50.9	102	85-115	

MATRIX SPIKE SAMPLE: 1703347

Parameter	Units	70282351007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	119	50	151	65	70-130	M1
Lead	ug/L	1.2	50	43.5	85	70-130	

MATRIX SPIKE SAMPLE: 1703349

Parameter	Units	70281820004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Copper	ug/L	<0.0020 mg/L	50	40.8	79	70-130	
Lead	ug/L	<1.0	50	42.0	84	70-130	

SAMPLE DUPLICATE: 1703346

Parameter	Units	70282351007 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	119	119	0	
Lead	ug/L	1.2	1.2	1	

SAMPLE DUPLICATE: 1703348

Parameter	Units	70281820004 Result	Dup Result	RPD	Qualifiers
Copper	ug/L	<0.0020 mg/L	<2.0		
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 11 of 15



QUALIFIERS

Project: THE LEAGUERS HEAD START 12/9
Pace Project No.: 70282351

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
575 Broad Hollow Road
Melville, NY 11747
516-370-6000

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: THE LEAGUERS HEAD START 12/9

Pace Project No.: 70282351

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70282351001	M-1 OUTLET 2	EPA 200.8	332286		
70282351002	M-2 OUTLET 5	EPA 200.8	332286		
70282351003	M-3 OUTLET 3	EPA 200.8	332286		
70282351004	M-4 KITCHEN SINK 1	EPA 200.8	332286		
70282351005	M-5 KITCHEN SINK 2	EPA 200.8	332286		
70282351006	M-6 WATER COOLER	EPA 200.8	332286		
70282351007	M-7 OUTLET 7	EPA 200.8	332287		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 12/29/2023 09:15 AM

Page 13 of 15

NO#: 70282351



70282351

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Required Client Information: Company: MANDELL ENVIRONMENTAL Address: 409 MANUSKILL ROAD Suite: 102, TOWSON, MD 21204 Email To: MANDELL.ENV@GMAIL.COM Phone: 410-275-8574 Fax: 410-275-8574 Requested Date: DATE		Required Project Information: Report To: MANDELL ENV. Copy To: Purchase Order No: Project Name: THE LOGGERS HOOD START Project Number: 10-12 MARSHALL ST. Site Location: 10-12 MARSHALL ST. IRVINGTON, NJ		Station C Invoice Information: Station C: 2054211 Regulatory Agency: MDDES NPDES: ☐ GROUND WATER ☒ DRINKING WATER UST: ☐ RCRA: ☐ OTHER: ☐																																																																																																																																																																																																																																																																																																																
Section D Required Client Information Matrix Codes: Drinking Water, Waste Water, Product, Soil/Solid, Oil, Wipes, Air, Tissue, Other Matrix Code: DIW, WTW, WWP, P, SOI, OIL, WIP, AIR, TIS, CHT Sample ID: 02-081/A Sample MUST BE UNIQUE		Section E Requested Analysis Filtered (Y/N) <table border="1"> <thead> <tr> <th>ANALYSTS TEST #</th> <th>Y/N</th> <th>RESIDUAL CHLORINE (Y/N)</th> </tr> </thead> <tbody> <tr><td>1</td><td></td><td></td></tr> <tr><td>2</td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td></tr> <tr><td>11</td><td></td><td></td></tr> <tr><td>12</td><td></td><td></td></tr> <tr><td>13</td><td></td><td></td></tr> <tr><td>14</td><td></td><td></td></tr> <tr><td>15</td><td></td><td></td></tr> <tr><td>16</td><td></td><td></td></tr> <tr><td>17</td><td></td><td></td></tr> <tr><td>18</td><td></td><td></td></tr> <tr><td>19</td><td></td><td></td></tr> <tr><td>20</td><td></td><td></td></tr> <tr><td>21</td><td></td><td></td></tr> <tr><td>22</td><td></td><td></td></tr> <tr><td>23</td><td></td><td></td></tr> <tr><td>24</td><td></td><td></td></tr> <tr><td>25</td><td></td><td></td></tr> <tr><td>26</td><td></td><td></td></tr> <tr><td>27</td><td></td><td></td></tr> <tr><td>28</td><td></td><td></td></tr> <tr><td>29</td><td></td><td></td></tr> <tr><td>30</td><td></td><td></td></tr> <tr><td>31</td><td></td><td></td></tr> <tr><td>32</td><td></td><td></td></tr> <tr><td>33</td><td></td><td></td></tr> <tr><td>34</td><td></td><td></td></tr> <tr><td>35</td><td></td><td></td></tr> <tr><td>36</td><td></td><td></td></tr> <tr><td>37</td><td></td><td></td></tr> <tr><td>38</td><td></td><td></td></tr> <tr><td>39</td><td></td><td></td></tr> <tr><td>40</td><td></td><td></td></tr> <tr><td>41</td><td></td><td></td></tr> <tr><td>42</td><td></td><td></td></tr> <tr><td>43</td><td></td><td></td></tr> <tr><td>44</td><td></td><td></td></tr> <tr><td>45</td><td></td><td></td></tr> <tr><td>46</td><td></td><td></td></tr> <tr><td>47</td><td></td><td></td></tr> <tr><td>48</td><td></td><td></td></tr> <tr><td>49</td><td></td><td></td></tr> <tr><td>50</td><td></td><td></td></tr> <tr><td>51</td><td></td><td></td></tr> <tr><td>52</td><td></td><td></td></tr> <tr><td>53</td><td></td><td></td></tr> <tr><td>54</td><td></td><td></td></tr> <tr><td>55</td><td></td><td></td></tr> <tr><td>56</td><td></td><td></td></tr> <tr><td>57</td><td></td><td></td></tr> <tr><td>58</td><td></td><td></td></tr> <tr><td>59</td><td></td><td></td></tr> <tr><td>60</td><td></td><td></td></tr> <tr><td>61</td><td></td><td></td></tr> <tr><td>62</td><td></td><td></td></tr> <tr><td>63</td><td></td><td></td></tr> <tr><td>64</td><td></td><td></td></tr> <tr><td>65</td><td></td><td></td></tr> <tr><td>66</td><td></td><td></td></tr> <tr><td>67</td><td></td><td></td></tr> <tr><td>68</td><td></td><td></td></tr> <tr><td>69</td><td></td><td></td></tr> <tr><td>70</td><td></td><td></td></tr> <tr><td>71</td><td></td><td></td></tr> <tr><td>72</td><td></td><td></td></tr> <tr><td>73</td><td></td><td></td></tr> <tr><td>74</td><td></td><td></td></tr> <tr><td>75</td><td></td><td></td></tr> <tr><td>76</td><td></td><td></td></tr> <tr><td>77</td><td></td><td></td></tr> <tr><td>78</td><td></td><td></td></tr> <tr><td>79</td><td></td><td></td></tr> <tr><td>80</td><td></td><td></td></tr> <tr><td>81</td><td></td><td></td></tr> <tr><td>82</td><td></td><td></td></tr> <tr><td>83</td><td></td><td></td></tr> <tr><td>84</td><td></td><td></td></tr> <tr><td>85</td><td></td><td></td></tr> <tr><td>86</td><td></td><td></td></tr> <tr><td>87</td><td></td><td></td></tr> <tr><td>88</td><td></td><td></td></tr> <tr><td>89</td><td></td><td></td></tr> <tr><td>90</td><td></td><td></td></tr> <tr><td>91</td><td></td><td></td></tr> <tr><td>92</td><td></td><td></td></tr> <tr><td>93</td><td></td><td></td></tr> <tr><td>94</td><td></td><td></td></tr> <tr><td>95</td><td></td><td></td></tr> <tr><td>96</td><td></td><td></td></tr> <tr><td>97</td><td></td><td></td></tr> <tr><td>98</td><td></td><td></td></tr> <tr><td>99</td><td></td><td></td></tr> <tr><td>100</td><td></td><td></td></tr> </tbody> </table>				ANALYSTS TEST #	Y/N	RESIDUAL CHLORINE (Y/N)	1			2			3			4			5			6			7			8			9			10			11			12			13			14			15			16			17			18			19			20			21			22			23			24			25			26			27			28			29			30			31			32			33			34			35			36			37			38			39			40			41			42			43			44			45			46			47			48			49			50			51			52			53			54			55			56			57			58			59			60			61			62			63			64			65			66			67			68			69			70			71			72			73			74			75			76			77			78			79			80			81			82			83			84			85			86			87			88			89			90			91			92			93			94			95			96			97			98			99			100		
ANALYSTS TEST #	Y/N	RESIDUAL CHLORINE (Y/N)																																																																																																																																																																																																																																																																																																																		
1																																																																																																																																																																																																																																																																																																																				
2																																																																																																																																																																																																																																																																																																																				
3																																																																																																																																																																																																																																																																																																																				
4																																																																																																																																																																																																																																																																																																																				
5																																																																																																																																																																																																																																																																																																																				
6																																																																																																																																																																																																																																																																																																																				
7																																																																																																																																																																																																																																																																																																																				
8																																																																																																																																																																																																																																																																																																																				
9																																																																																																																																																																																																																																																																																																																				
10																																																																																																																																																																																																																																																																																																																				
11																																																																																																																																																																																																																																																																																																																				
12																																																																																																																																																																																																																																																																																																																				
13																																																																																																																																																																																																																																																																																																																				
14																																																																																																																																																																																																																																																																																																																				
15																																																																																																																																																																																																																																																																																																																				
16																																																																																																																																																																																																																																																																																																																				
17																																																																																																																																																																																																																																																																																																																				
18																																																																																																																																																																																																																																																																																																																				
19																																																																																																																																																																																																																																																																																																																				
20																																																																																																																																																																																																																																																																																																																				
21																																																																																																																																																																																																																																																																																																																				
22																																																																																																																																																																																																																																																																																																																				
23																																																																																																																																																																																																																																																																																																																				
24																																																																																																																																																																																																																																																																																																																				
25																																																																																																																																																																																																																																																																																																																				
26																																																																																																																																																																																																																																																																																																																				
27																																																																																																																																																																																																																																																																																																																				
28																																																																																																																																																																																																																																																																																																																				
29																																																																																																																																																																																																																																																																																																																				
30																																																																																																																																																																																																																																																																																																																				
31																																																																																																																																																																																																																																																																																																																				
32																																																																																																																																																																																																																																																																																																																				
33																																																																																																																																																																																																																																																																																																																				
34																																																																																																																																																																																																																																																																																																																				
35																																																																																																																																																																																																																																																																																																																				
36																																																																																																																																																																																																																																																																																																																				
37																																																																																																																																																																																																																																																																																																																				
38																																																																																																																																																																																																																																																																																																																				
39																																																																																																																																																																																																																																																																																																																				
40																																																																																																																																																																																																																																																																																																																				
41																																																																																																																																																																																																																																																																																																																				
42																																																																																																																																																																																																																																																																																																																				
43																																																																																																																																																																																																																																																																																																																				
44																																																																																																																																																																																																																																																																																																																				
45																																																																																																																																																																																																																																																																																																																				
46																																																																																																																																																																																																																																																																																																																				
47																																																																																																																																																																																																																																																																																																																				
48																																																																																																																																																																																																																																																																																																																				
49																																																																																																																																																																																																																																																																																																																				
50																																																																																																																																																																																																																																																																																																																				
51																																																																																																																																																																																																																																																																																																																				
52																																																																																																																																																																																																																																																																																																																				
53																																																																																																																																																																																																																																																																																																																				
54																																																																																																																																																																																																																																																																																																																				
55																																																																																																																																																																																																																																																																																																																				
56																																																																																																																																																																																																																																																																																																																				
57																																																																																																																																																																																																																																																																																																																				
58																																																																																																																																																																																																																																																																																																																				
59																																																																																																																																																																																																																																																																																																																				
60																																																																																																																																																																																																																																																																																																																				
61																																																																																																																																																																																																																																																																																																																				
62																																																																																																																																																																																																																																																																																																																				
63																																																																																																																																																																																																																																																																																																																				
64																																																																																																																																																																																																																																																																																																																				
65																																																																																																																																																																																																																																																																																																																				
66																																																																																																																																																																																																																																																																																																																				
67																																																																																																																																																																																																																																																																																																																				
68																																																																																																																																																																																																																																																																																																																				
69																																																																																																																																																																																																																																																																																																																				
70																																																																																																																																																																																																																																																																																																																				
71																																																																																																																																																																																																																																																																																																																				
72																																																																																																																																																																																																																																																																																																																				
73																																																																																																																																																																																																																																																																																																																				
74																																																																																																																																																																																																																																																																																																																				
75																																																																																																																																																																																																																																																																																																																				
76																																																																																																																																																																																																																																																																																																																				
77																																																																																																																																																																																																																																																																																																																				
78																																																																																																																																																																																																																																																																																																																				
79																																																																																																																																																																																																																																																																																																																				
80																																																																																																																																																																																																																																																																																																																				
81																																																																																																																																																																																																																																																																																																																				
82																																																																																																																																																																																																																																																																																																																				
83																																																																																																																																																																																																																																																																																																																				
84																																																																																																																																																																																																																																																																																																																				
85																																																																																																																																																																																																																																																																																																																				
86																																																																																																																																																																																																																																																																																																																				
87																																																																																																																																																																																																																																																																																																																				
88																																																																																																																																																																																																																																																																																																																				
89																																																																																																																																																																																																																																																																																																																				
90																																																																																																																																																																																																																																																																																																																				
91																																																																																																																																																																																																																																																																																																																				
92																																																																																																																																																																																																																																																																																																																				
93																																																																																																																																																																																																																																																																																																																				
94																																																																																																																																																																																																																																																																																																																				
95																																																																																																																																																																																																																																																																																																																				
96																																																																																																																																																																																																																																																																																																																				
97																																																																																																																																																																																																																																																																																																																				
98																																																																																																																																																																																																																																																																																																																				
99																																																																																																																																																																																																																																																																																																																				
100																																																																																																																																																																																																																																																																																																																				
Section F ADDITIONAL COMMENTS RELINQUISHED BY / AFFILIATION: Paul Deane - PACE DATE: 12-27-2023 TIME: 12:37 PM RECEIVED BY / AFFILIATION: SNANT CASEANO DATE: 12-29-2023 TIME: 12:37 PM		Section G SAMPLE CONDITIONS Temp in °C: 20 Received on: 12-29-2023 Ice (Y/N): N Sealed Cooler (Y/N): N Custody (Y/N): N Samples Intact (Y/N): N																																																																																																																																																																																																																																																																																																																		

Effective Date: 10/13/2023

WO#: 70282351

Client Name:

Project #

PM: KMM

Due Date: 01/04/24

CLIENT: MEC

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Parcel ☐ Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☒ No Temperature Blank Present: ☐ Yes ☒ No
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ Non ☐ Other Type of Ice: ☒ Wet ☐ Blue ☐ NoneThermometer Used: TH211 Correction Factor: +0.4 ☐ Samples on ice, cooling process has begun

Cooler Temperature (°C): 2.0 Cooler Temperature Corrected (°C): 2.4 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil ☒ N/A, water sampleDid samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX,
or VA (check map)? ☐ Yes ☒ NoDid samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: ASF 12/27/23

		COMMENTS:
Chain of Custody Present:	☒ Yes ☐ No	1.
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6.
Rush Turn Around Time Requested:	☒ Yes ☐ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
-Pace Containers Used:	☒ Yes ☐ No	10.
Containers Intact:	☒ Yes ☐ No	11.
Filtered volume received for Dissolved tests	☒ Yes ☐ No ☐ N/A	Note: if sediment is visible in the dissolved container.
Sample Labels match COC:	☒ Yes ☐ No	12.
-Includes date/time/ID/Analysis Matrix: SL WT OIL OTHER		

Date and Initials of person checking preservation: ASF 12/27/23

All containers needing preservation have been	☒ Yes ☐ No ☐ N/A	13.	☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot # 213023		Sample #	
All containers needing preservation are found to be in compliance with method recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH > 9 Sulfide, NaOH > 12 Cyanide)	☒ Yes ☐ No ☐ N/A	Initial when completed:	Lot # of added preservative:
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).		Date/Time preservative added:	
Per Method, VOA pH is checked after analysis		14.	
Samples checked for dechlorination:	☐ Yes ☐ No ☐ N/A	Positive for Res. Chlorine?	Y N
IKI starch test strips Lot #		15.	
Residual chlorine strips Lot #		Positive for Sulfide?	Y N
SM 4500 CN samples checked for sul	☐ Yes ☐ No ☐ N/A	16.	
Lead Acetate Strips Lot #		17.	
Headspace in VOA Vials (>6mm):	☐ Yes ☐ No ☐ N/A		
Trip Blank Present:	☐ Yes ☐ No ☐ N/A		
Trip Blank Custody Seals Present	☐ Yes ☐ No ☐ N/A		

DATE AND INITIALS OF PERSON COMPLETING SECOND REVIEW: 12/27/23

Client Notification/ Resolution:

Field Data Required?

Y / N

Person Contacted:


Date/Time:

Comments/ Resolution:

* PM (Project Manager) review is documented electronically in LIMS.

10-12 Marshall Evacuation Plans

Fire extinguisher
Alarm Box
Pull Station
Security Box



Attachment C - Drinking Water Outlet Inventory (Complete for each school)

Name of School: THE LEAGUES HEAD SHADT Address: 10-12 MARSHALL STREET
CHILD CARE
 Grade Levels: Year School Constructed: RENOVATED/ADDITIONS:

Individual school project officer Name/Signature: _____ Date Completed: _____

#	Type	Location	Code	Operational ² (Y/N)	Signs of Corrosion ³ (Y/N)	Filter ⁴ (Y/N)	Brass Fittings, Faucets or valves? (Y/N)	Aerator/Screen (Y/N)	Motion Activated (Y/N)	Chiller (Y/N)	Water Cooler Make	Water Cooler Model
1	IWF	BOYS BATH		YES	N	N	N	N	N	N		
2	"	"										
3	"	KITCHEN										
4	"	STAFF BATH										
5	"	GIRLS BATH										
6	"	"										
ME1	FP	KITCHEN										
ME2	FP	"										
WC1	OFFICE	WC										
7	IWF	CLASS 2										

IWF - INDOOR WATER FAUCET
 FP - FOOD PREPARATION
 WC - WATER COOLER

¹ Number outlets starting at the closest outlet to the Point of Entry (POE).

² Document if permanently or temporarily out of service on the Attachment B- Plumbing Profile.

³ Signs of corrosion detected, such as but not limited to frequent leaks, rust-colored water, or stained fixtures, dishes, or laundry.

⁴ Document on Attachment D- Filter Inventory.

Name of School: THE WILSONS HEAD STREET Grade Levels: _____

Individual School Project Officer Signature: _____ Date: _____

[illegible]